

GET A FREE

— DOSING DEVICE —

SEE BACK FOR OFFER DETAILS

THE RIGHT DEWORMER

SAFE-GUARD® (fenbendazole) Suspension is available in a single application, low-dose volume suspension with an easy-to-use applicator for accurate, stress-free deworming.

SAFE-GUARD® (fenbendazole) Paste is available in a single application, low-dose volume paste with specifically designed metal hook for convenient dosing.

PRIMARY PARASITES OF CONCERN

- · Lungworms
- Stomach worms (adults and fourth stage larvae)
- Brown stomach worms (barberpole worms and small stomach worms)
- Intestinal worms (adults and fourth stage larvae)
- Hookworms
- Thread-necked intestinal worms
- · Small intestinal worms
- Bankrupt worms
- Nodular worms



THE RIGHT DOSING DEVICE

- FREE Paste gun with your purchase of two (2) 290 gm tubes of SAFE-GUARD® Paste
- FREE Drench kit with your purchase of one (1) Liter or Gallon SAFE-GUARD® Suspension

Fill out this coupon, attach your proof of purchase and mail it to: SAFE-GUARD* Free Dosing Device Offer

Synergy Direct Marketing, Inc 19 Culnen Drive, Branchburg, NJ 08876

Name:		
Farm/Ranch/Business Name: _		
Address*:		
City:	State:	Zip:
Phone Number:		·
Feedby		

* We are unable to deliver to PO boxes at this time. Please enter a valid street address to receive shipment. By participating in this promotion, you are opting in to communication related to animal health products, programs, and scientific information from Merck Animal Health. You may click the unsubscribe link in your email at any time to opt out.

Consult your veterinarian for assistance in the diagnosis, treatment and control of parasitism.

IMPORTANT SAFETY INFORMATION: Do not use in beef calves less than Zmonths old, dairy calves and veal calves. A withdrawal period has not been established for this product in pre-ruminating calves. Additionally, the following meat withdrawal and milk discard times apply: Safe-Guard Paste: Cattle must not be slaughtered for 8 days. For dairy cattle, the milk discard time is 95 hours. Safe-Guard Supersion: Cattle must not be slaughtered for 8 days. For dairy cattle, the milk discard time is 48 hours.

